

1200 15TH STREET, N.W., SUITE 103
WASHINGTON, D.C. 20005 202-833-1426

29 COURTHOUSE SQUARE
ROCKVILLE, MD



REVISIONS		DATE
NO.	DESCRIPTION	

REVISIONS		DATE
NO.	DESCRIPTION	

PROJECT NUMBER

SHEET NUMBER

A-1

CAREFULLY REMOVE AND DISPOSE OF EXISTING TOILET PARTITIONS. FILL AND PATCH ANY GROUND HOLES.

IN CERAMIC TILE FLOORING AND MAINSOT WITH CLOSELY MATCHING TILE, REMOVE TILE AND GROUT CLOSELY TO DISPOSE TO. HIDE PATCH TILE AND GROUT TO MATCH EXISTING TILE. PATCH TILE AND GROUT TO MATCH EXISTING TILE. PATCH TILE AND GROUT TO MATCH EXISTING TILE.

REMOVE EXISTING TOILET, PATCH TILE FLOORING AND MAINSOT TO MATCH ADJACENT EXISTING.

REMOVE EXISTING TOILET AND PROVIDE NEW TOILET FOR HANDICAPPED PERSONS. PROVIDE NEW RAIL CORNER ASSEMBLY, MOUNT 34" OFF FIN, FLR.

PROVIDE NEW LAVATORY FOR HANDICAPPED PERSONS.

PROVIDE NEW PAPER TOWEL/WASTE RECEPTACLE. SURFACE MOUNTED. NO HANDICAPPED PERSONS.


REMOVE EXISTING TOILET AND EXISTING PAPER TOWEL DISPENSER AND PROVIDE NEW PAPER TOWEL DISPENSER AND PAPER TOWEL DISPENSER FOR RM. 6-04. MOUNT ON FACE OF TOILET PARTITION, 36" AFF.

[illegible]

REFLECTED CEILING PLANS
G-08, G-08a, G-08b
1/4" = 1'-0"

REFLECTED CEILING PLANS
G-09, G-09a, G-09b
1/4" = 1'-0"


FOR SHAFT LAYOUT




REFLECTED CEILING PLAN - G-07


REFLECTOR
1/4" = 1'-0"

GROUND
1/4" x 1'-0"



- 6 NO ARCHITECTURAL WORK REQUIRED IN ROOM; REFER TO MECH/ELEC SHEETS FOR WORK. IF ANY.
- 7 PATCH PLASTER AND REPAINT COLOR TO MATCH EXISTING. BLEND TO MATCH EXACTLY.
- 8 REMOVE EXISTING FLOOR ASSEMBLY AS NECESSARY FOR NEW ELEVATOR SHAFT. SEE S-1.
- 12 REMOVE AND DISPOSE OF EXIST. WOOD WINDOW ASSEMBLY. PROVIDE MET. LOUVER. SEE DET. 2/A-1. PROVIDE 1/2" GROUND FLOOR DRIVE-UP TO ASSURE CONTINUITY OF SHAFT ENCLOSURE.
- 16 REMOVE EXIST. CARPET AND PAD AND STORE DURING PROJECT. REINSTALL AT CONCLUSION OF WORK. CUT AND FIT AS NECESSARY.
- 17 RE-ESTABLISH CONTINUITY OF PLASTER/CEILING AND TOP OF WALLS TO ACHIEVE FIRE RESISTIVE CONSTRUCTION. SIMILAR TO UL L506. SEE DET. 3/A-1.
- 19 REMOVE AND DISPOSE OF EXIST. SUSP. CEILING AND TILES. RETAIN ELEC. LIGHTS AND REINSTALL (SEE DET. 2/A-1). PROVIDE NEW SUSP. CEILING AND TILES (NON-RATED).
- 22 ALT. NO. 2: REMOVE AND DISPOSE OF EXISTING 8'-0" WOOD PANELS, DISCONNECT RADIATORS, SEE DET. 1/A-5, AND E-1.
- 23 ALT. NO. 2: PROVIDE NEW WOOD MAINSCOT, SEE DET. 1/A-5.
- 24 PROVIDE PLYWOOD UNDERLAYMENT, SEE DET. 8/A-5.
- 25 PROVIDE ELEC. WATER COOLER IN NEW GYP. BRD. ENCLOSURE, SEE DET. 3/A-8.
- 52 PAINT ALL EXIST. AND NEW WALLS. COLOR (C-1) TO MATCH EXISTING.
- 53 ALT. NO. 4: PROVIDE GYP. BRD. ON FURRING STRIPS OF MET. STUDS AS SHOWN IN DET. 2/A-10.
- 54 ALT. NO. 4: WIRE BRUSH AND SCRAPE ALL LOOSE PLASTER ON ALL MET. STAIR ELEMENTS (RISERS, RAILINGS, CHANNELS, HEADERS, ETC.) AND REPAINT. COLOR (C-3) TO MATCH EXISTING.
- 55 ALT. NO. 4: CLEAN EXISTING TERRAZZO FLOORS AND STAIR TREADS FREE OF ALL STAIRS AND SOILING AND APPLY PENETRATING SEALER.
- 56 ALT. NO. 4: PAINT NEW GYP. BRD. & OTHER EXISTING WALLS AND CEILINGS (SOFFIT UNDER STAIRS) WITH MATCHING EXISTING. COLOR (C-2) TO MATCH EXISTING.
- 57 ALT. NO. 4: REMOVE AND REINSTALL WALL HAND RAIL TO UL 186B. PROVIDE NEW BRONZE FINISHING BEHIND GYP. BRD. FOR ANCHORAGE AS REQUIRED.
- 64 ALT. NO. 4: REMOVE EXISTING, ABANDONED RADIATOR AND SUPPLY PIPING TO A POINT FLUSH WITH FLOOR OR WALL. PATCH RESULTING HOLE.







SHEET TITLE	
ELEVATIONS	
SCALE	1/8" = 1'-0"
REVISIONS	NO. DESCRIPTION DATE
PROJECT NUMBER	87100
SHEET NUMBER	A-4

- 41 REPAIR STEEL RAILING AND REPAINT ENTIRE RAILING. SEE DET. 8/A-8.
- 42 PROVIDE NEW COPPER GUTTER TO MATCH EXISTING. CONNECT TO EXIST. DOWNSPOUTS.
- 43 PROVIDE 4" x 8" COPPER DOWNSPOUTS. CONNECT TO EXIST. COPPER GUTTER. ANCHOR TO MASONRY/STONE BLOCK. PROVIDE 1/2" x 3/4" x 36" CONCRETE SPLASH BLOCK AT GROUND. PROVIDE 1/2" x 3/4" x 36" DOWNSPOUT AROUND STONE PROJECTIONS.
- 45 CLEAN STONE FREE OF STAINING. SEE SPEC. SECTION 04400.
- 46 PROVIDE MET. LOUVER IN LOWER SASH POSITION. SEE DET. 11/A-6.


- 11 REMOVE AND DISPOSE OF EXIST. WOOD WINDOW ASSEMBLY. CLOSE OPENING WITH BRICKWORK. SEE DET. 7/A-8.
- 12 REMOVE AND DISPOSE OF EXIST. WOOD WINDOW ASSEMBLY. PROVIDE MET. LOUVER IN LOWER SASH POSITION. AT GROUND FLOOR, LOUVER IS NOT TO BE INSTALLED TO MAINTAIN CONTINUITY OF SASH ENCLOSURE.
- 30 REPAIR COPPER GUTTER TO RESTORE DRAINAGE AND WATER-TIGHT CONDITION.
- 31 REPLACE MISSING SLATES WITH MATCHING NEW PIECES. APPROX. 30 UNITS TOTAL.
- 36 REPAIR STONE BALCONY. SEE DET. 9/A-8.
- 37 CLEAN STONE AND BRICK FREE OF ALGAE. FRONT FACE OF TOWER ONLY.
- 40 ALT. NO. 1: REMOVE WOODEN FRAME AND SASH AND PROVIDE MET. LOUVER. SEE DET. 5/A-8.



1 WEST ELEVATION
1/8" = 1'-0"



3 EAST ELEVATION
1/8" = 1'-0"



4 NORTH ELEVATION
1/8" = 1'-0"

2 SOUTH ELEVATION
1/8" = 1'-0"

7 ELEVATOR SHAFT PLAN



SECTION @ ELEVATOR

7 ELEVATOR SHAFT PLAN

WINDOW SCHEDULE

NO(S)	TYPE	SIZE WIDTH X HEIGHT	REMARKS
01-02	H	4'-0" x 2'-8"	
03	H	4'-0" x 4'-0"	
04-06	H	4'-0" x 4'-10"	
07	A	4'-0" x 4'-10"	
08-09	A	4'-0" x 6'-10"	
10	F	6'-4" x 2'-4"	
11	A	4'-0" x 6'-10"	
12	A	3'-7" x 6'-10"	(2)
13	A	4'-0" x 6'-10"	(2)
14-16	A	4'-0" x 6'-10"	
17-18	A	3'-7" x 6'-10"	
19	A	3'-7" x 6'-10"	
20	H	4'-0" x 3'-8"	
101-102	A	4'-9" x 9'-6"	
103-105	C	3'-0" x 3'-9"	
106-110	A	4'-9" x 9'-6"	
111-112	A	2'-4" x 3'-4"	
113-114	A	4'-9" x 9'-6"	
115	A	4'-9" x 4'-8"	
116-117	A	3'-6" x 9'-6"	
118-119	A	4'-9" x 9'-6"	(1)
120	A	4'-9" x 9'-6"	
121	A	4'-9" x 9'-6"	
122-123	A	9'-9" x 9'-6"	
124-127	A	4'-9" x 9'-6"	
201-202	D	3'-9" x 8'-1"	
203	G	8'-0" x 4'-0"	(5) (6)
204-205	A	4'-9" x 9'-6"	
206-209	C	3'-0" x 5'-9"	
210	A	4'-9" x 9'-6"	(5) (6)
211-214	A	3'-9" x 8'-7"	(5) (6)
215	G	3'-9" x 5'-10"	(5) (6)
216	G	3'-9" x 7'-0"	(5) (6)
217	G	9'-9" x 7'-0"	(5) (6)
218	G	3'-9" x 5'-10"	(5) (6) (12)
219-222	A	4'-9" x 9'-6"	(5) (6) (12) (19)
223	A	2'-9" x 4'-8"	
224-225	A	3'-6" x 9'-6"	
226	A	2'-9" x 4'-8"	
227-228	A	4'-9" x 9'-6"	
229	A	4'-9" x 9'-6"	(12)
230	A	4'-9" x 9'-6"	(5) (6)
231-234	A	9'-9" x 8'-7"	(5) (6)
235	G	3'-9" x 5'-10"	(5) (6)
236	G	3'-9" x 7'-0"	(5) (6)
237	G	9'-9" x 7'-0"	(5) (6)
238	G	3'-9" x 5'-10"	(5) (6)
239-242	A	4'-9" x 9'-6"	(5) (6) (12) (19)
301	D	2'-6" x 6'-12"	
302	E	3'-6" x 6'-7"	
303	B	2'-6" x 6'-12"	
304	F	2'-9" x 2'-10"	
305	F	3'-0" x 2'-10"	
306	F	2'-9" x 2'-10"	
307	I	3'-0" x 3'-0"	
308-309	F	2'-6" x 2'-0"	
310-311	F	2'-9" x 2'-10"	
312	I	3'-0" x 3'-0"	
313-314	E	1'-0" x 3'-0"	
315	F		
316	I	3'-0" x 3'-0"	
317-318	E	1'-0" x 3'-0"	
319-320	F	2'-6" x 2'-0"	
321-322	F	2'-9" x 2'-10"	
323	I	3'-0" x 3'-0"	

WINDOW TYPES



WINDOW NOTES


- REPAIR AND REPAINT THE EXTERIOR OF ALL WINDOW ASSEMBLIES AS DESCRIBED IN SPEC. SEC. 08610. COLOR C-5.
- REPLACE LOOSE OR MISSING GLAZING COMPOUND THROUGHOUT, SEE SPEC. SEC. 08610.
- CLEAN GLASS, INSIDE AND OUT, SEE SPEC. SEC. 08610.

- CAREFULLY REMOVE AND DISPOSE OF EXIST. TOILET PARTITIONS. FILL AND/OR PATCH ANCHORAGE HOLES IN CERAMIC TILE, FLOORING AND WALLS WITH GROUT. REMOVE EXIST. TOILET PARTITIONS AS CLOSELY AS POSSIBLE TO HIDE PATCH. PROVIDE NEW TOILET PARTITIONS AND PROVIDE ONE TOILET PAPER DISPENSER FOR EACH TOILET MOUNT ON TOILET PARTITION, 20" OFF FIN. FLR.
- REMOVE EXISTING TOILET PATCH TILE FLOORING AND MAINSCOT TO MATCH ADJACENT EXISTING.
- REMOVE EXISTING TOILET AND PROVIDE NEW TOILET PARTITION. PROVIDE ONE TOILET PAPER DISPENSER FOR EACH TOILET MOUNT ON TOILET PARTITION, 20" OFF FIN. FLR.
- PROVIDE NEW PAPER TOWEL/WASTE RECEPTACLE. CAREFULLY REMOVE AND DISCARD EXISTING PAPER TOWEL DISPENSER. PROVIDE FEMINE NAPKIN DISPENSER. PROVIDE ONE DISPENSER MOUNT ON FACE OF TOILET PARTITION, 50" AFF.
- NO ARCHITECTURAL WORK REQUIRED IN ROOM. REFER TO MECH/ELEC SHEETS FOR WORK, IF ANY.
- PATCH PLASTER AND REPAINT. COLOR TO MATCH EXISTING. BLEND TO MATCH EXACTLY.
- REMOVE AND DISPOSE OF EXIST. WOOD WINDOW ASSEMBLY. CLOSE OPENING WITH BRICKWORK, SEE DET. 4/A-8
- REMOVE AND DISPOSE OF EXIST. WOOD WINDOW ASSEMBLY. PROVIDE METAL LOUVER. SEE DET. 4/A-8. PROVIDE CHU BACK-UP TO ASSURE FUNCTIONALITY OF SHAFT ENCLOSURE.
- REMOVE EXIST. CARPET AND PAD AND STORE DURING PROJECT. REINSTALL AT CONCLUSION OF WORK. CUT AND FIT AS NECESSARY.
- RE-ESTABLISH CONTINUITY OF PLASTER CEILING AND TOP OF WALLS TO ACHIEVE FIRE RESISTIVE CONSTRUCTION. SIMILAR TO UL 1505. SEE DET. 3/A-1.
- REMOVE AND DISPOSE OF EXIST. SUSP. CEILING AND ELECTRICAL. PROVIDE NEW SUSP. CEILING AND TILES (NON-RATED).
- SAME AS NOTE 19. EXCEPT PROVIDE A FIRE-RATED SUSPENDED CEILING. SALVAGE LIGHT FIXTURES. TURN OVER TO OWNER.
- PAINT EXIST. INTERIOR WINDOW JAM, SILL, SASH, AND TRIM. COLOR TO MATCH EXISTING.
- PROVIDE ELEC. WATER COOLER IN NEW GYP. BRD.
- RELOCATE EXIST. DOOR AND MET. FRAME AS SHOWN. REPLACE GYP. BOARD AND STUDS AS NECESSARY. REPLACE 12" X 12" WOOD LOUVER IN DOOR TO MATCH EXIST.
- REMOVE EXIST. TILE FLOORING AND BASE. PROVIDE RUBBER TILE FLOORING AND BASE.
- PAINT ALL EXIST. AND NEW WALLS. COLOR (C-1) TO MATCH EXISTING.
- ALT. NO. 4: PROVIDE GYP. BRD. ON FURRING STRIPS OR MET. STUDS AS SHOWN IN DET. 2/A-10.
- ALT. NO. 4: WIRE BRUSH AND SCRAPE ALL LOOSE PAINT ON ALL MET. STAIR ELEMENTS (RISERS, RAILINGS, CHANNELS, HEADERS, ETC.) AND NEPAINT. COLOR (C-5) TO MATCH EXISTING.
- ALT. NO. 4: CLEAN EXISTING TERRAZO FLOORS AND STAIR TREADS FREE OF ALL STAIRS AND SOILING AND APPLY PENETRATING SEALER.
- ALT. NO. 2: PROVIDE INT. ROLLER BLINDS, ONE PER SASH (TWO PER WINDOW).
- ALT. NO. 3: RECONSTRUCTION STAINED GLASS UNIT SEE DET. 1/A-6.
- ALT. NO. 2: PAINT INTERIOR OF WINDOW ASSEMBLY. COLOR C-4. REMOVE FIBERBOARD PANELS ON UPPER WINDOWS PRIOR TO PAINTING.

PAINT SCHEDULE

ELEMENT	PRIME	TOP COATS	COLOR
EXT. WINDOWS	WHERE NECESSARY	2	C-5
OAK MILLWORK	1	2	STAIN
INT. WALLS	WHERE NECESSARY	2	C-1
INT. WINDOWS (RM. 204)	-	1	C-4
INT. WALLS	1	2	C-2
STAIR (STAIR NO. 2)	1	2	C-3

NOTE: KEY NOTE 7 INDICATES MISC. PAINTING WHERE PLASTER PATCHING OCCURS TO MATCH EXISTING COLOR.



ALT. NO. 3 - STAINED GLASS
N.T.S.

FINISH SCHEDULE

NO.	TYPE	Q.G.	REMARKS
G-01	MENS	7'-1"	(1) (2) (3) (5)
G-02	MENS	7'-9"	(2) (6)
G-03	CORRIDOR	7'-9"	(1) (6) (2) (5)
G-03A	CORRIDOR	9'-0"	(5) (6) (19) (25) (26)
G-04	WOMENS	7'-1"	(1) (2) (3) (7) (21)
G-05	CORRIDOR	7'-6"	(1) (6) (2)
G-06	OFFICE	8'-4 1/2"	(6)
G-07	MECH. EQUIP	11'-4"	(17)
G-08	OFFICE	9'-9"	(6) (2)
G-08A	CORRIDOR	9'-9"	(1) (6) (19) (2)
G-08B	ELEVATOR EQ.	9'-9"	(2) (5) (2)
G-09	OFFICE	8'-4"	(7)
G-10	OFFICE	8'-6"	(6)
STAIR NO.1	STAIR	8'-6"	(6)
STAIR NO.2	STAIR	9'-7"	ALT. NO. 4: (5) (5) (5) (5)
JANITOR	JANITOR	10'-2"	(6)
ELEVATOR	CAB		(5)
101	CORRIDOR	10'-4"	(6)
102	CORRIDOR	10'-4"	(6)
103	OFFICE	12'-8"	(6)
104	CORRIDOR	10'-4"	(6)
105	OFFICE	12'-8"	(6)
106	OFFICE	12'-8"	(6)
107	WOMENS	8'-3"	(6)
108	MENS	7'-9"	(6)
109	OFFICE	12'-8"	(1) (19) (2)
109A	CORRIDOR	7'-11"	(1) (19) (2)
110	OFFICE	12'-7"	(6)
111	OFFICE	12'-7"	(6)
STAIR NO.1	STAIR	13'-0"	(6)
STAIR NO.2	STAIR	13'-9"	ALT. NO. 4: (5) (5) (5) (5)
201	CORRIDOR	10'-7"	
201A	OFFICE	9'-9 1/2"	ALT. NO. 2: (2) (2) (2)
202	OFFICE	10'-2 1/2"	(6)
203	CORRIDOR	10'-7"	(6)
204	MEETING RM.		(6)
204A	CORRIDOR	14'-7"	ALT. NO. 2: PAINT NEW PARTITION @ D. 204
205	OFFICE	12'-9"	(6)
206	WOMENS	11'-9"	(6)
207	MENS	8'-2"	(6)
208	OFFICE	12'-9 1/2"	(1) (19) (2)
208A	CORRIDOR	12'-9 1/2"	(1) (19) (2)
209	OFFICE	12'-2 1/2"	(6)
210	TOILET	11'-9"	(6)
211	TOILET	7'-9"	(6)
STAIR NO.1	STAIR	14'-0"	(6)
STAIR NO.2	STAIR	14'-4"	ALT. NO. 4: (5) (5) (5) (5)
201A MECH.	MECH. EQUIP		(6)

SHEET TITLE
SCHEDULES:
WINDOW
FINISH
PAINT

SCALE
REVISIONS
NO.1 DESCRIPTION
DATE

PROJECT NUMBER
87100
DATE


SHEET NUMBER
A-6


GEIER
BROWN
RENFROW
ARCHITECTS
1200 15TH STREET, NW, SUITE 103
WASHINGTON, DC 20005, 202-657-4428

STRUCTURAL
MMP International, Inc.
3222 N Street, NW, #401
Washington, DC 20007
202-338-5440


MECHANICAL/ELECTRICAL/
PLUMBING
McDavid, Grothues, PC
1319 F Street, NW, #204
Washington, DC 20004
202-347-3633

RED BRICK
COURTHOUSE
RENOVATION AND
RESTORATION
29 COURTHOUSE
SQUARE
ROCKVILLE, MD







1
A-7
FRAME (D-G03)
1/2" = 1'-0"




2
A-7
D-G03
1/2" = 1'-0"




3
A-7
PLAN @ SOUTH ENTRY
1/2" = 1'-0"




10
A-7
TYP. METAL DOOR FRAME
3/4" = 1'-0"



4
A-7
HEAD/TRANSOM (D-G03)
3/4" = 1'-0"




5
A-7
JAMB (D-G03)
3/4" = 1'-0"




6
A-7
MUNTIN
FULL SIZE


NO.	TYPE	SIZE	HW.	DETAIL	REMARKS
G-03	WD / MD	3'-0" x 6'-0" x 2 1/4"	1	1/1A-7	
G-03A	WD / MD	3'-0" x 6'-0" x 2 1/4"	1	1/1A-7	
G-08	WD / MTL	3'-0" x 6'-0" x 1 1/4"	2	1/1A-7	
G-08A	WD / MTL	3'-0" x 6'-0" x 1 1/4"	2	1/1A-7	
101	WD / MD	3'-0" x 6'-0" x 2 1/4"	EXIST	1	REFINISH, SEE SPEC 08210
109	WD / MTL	3'-0" x 6'-0" x 1 1/4"	2	1/1A-7	
204	WD / MTL	3'-0" x 6'-0" x 1 1/4"	3	1/1A-7	ALT NO. 2
208	WD / MTL	3'-0" x 6'-0" x 1 1/4"	2	1/1A-7	



7
A-7
JAMB/HEAD @ D-G03a
3/4" = 1'-0"




8
A-7
DOOR G-03a
1/2" = 1'-0"

















9
A-7
DOOR TRIM
FULL SCALE


- 16 REMOVE EXIST. CARPET AND PAD AND STORE DURING PROJECT. REINSTALL AT CONCLUSION OF WORK. CUT AND FIT AS NECESSARY.
- 33 PROVIDE NEW ELEC. BALLARD LIGHT. SEE DET. 3/A-7.
- 34 PROVIDE AUTO DOOR CONTROL BUTTON, MOUNT WITHIN BALLARD ASSEMBLY, 19" ABOVE SIDEWALK.
- 38 SEALANT




- 11 REMOVE AND DISPOSE OF EXIST. WOOD WINDOW ASSEMBLY. CLOSE OPENING WITH BRICKWORK. SEE DET. 4/A-8
- 12 REMOVE AND DISPOSE OF EXIST. WOOD WINDOW ASSEMBLY. PROVIDE MET. LOUVER. SEE DET. 5/A-8. AT GROUND FLOOR, LOUVER SHALL ASSURE CONTINUITY OF SHUT ENCLCURE.
- 14 PROVIDE WALL MOUNTED HAND RAIL AT RAMP. (34 INCHES HIGH). PROVIDE FORM TO CLEAR FIREPLACE. CLEAN OUT COVER PLATE.
- 15 PROVIDE PIPE RAILING. SEE DET. 1/A-8
- 25 PROVIDE ELEC. WATER COOLER IN NEW GYP. BRD. ENCLCURE. SEE DET. 3/A-8
- 38 SEALANT
- 41 REPAIR STEEL RAILING AND REPAINT ENTIRE RAILING. SEE DET. 8/A-8.
- 44 PROVIDE ROCK FACE GRANITE, IN-FILL BELOW NEW GRANITE SILL. SEE DET. 7/A-8.




- 7 PATCH PLASTER AND REPAIR. COLOR TO MATCH EXISTING. BLEND TO MATCH EXACTLY.
- 22 ALT. NO. 2: REMOVE AND DISPOSE OF EXISTING 8'-0" WOOD PANELS, DISCONNECT RADIATORS, SEE 8-A, AND E.
- 23 ALT. NO. 2: PROVIDE NEW WOOD MAINSCOT. SEE DET. 17A-5.
- 24 PROVIDE PLYWOOD UNDERLAYMENT, SEE DET. 8/A-5.
- 60 ALT. NO. 2: PAINT INTERIOR OF WINDOW ASSEMBLY. COLOR C-4.




13 EAST WALL (WEST SIMILAR)




2 NORTH




4 SOUTH




2 WAINSCOT CAP - ALT. 2
A-9 FULL SCALE




3 WAINSCOT PANELING - ALT. 2
A-9 FULL SCALE



4 WAINSCOT BASE - ALT. 2
A-9 FULL SCALE



1 WOOD WAINSCOT - ALT. NO. 2
A-9 3/4" = 1'-0"



5 REFLECTED CEILING PLAN - RM. 204
A-9 1/8" = 1'-0" ALT. NO. 2

5 INT. ELEVATIONS - RM. 204 - ALT. NO. 2
A-9 1/4" = 1'-0"